








Order no.: 500256

Multiple-flight vertical  
ladder with back  
protection (machinery)  
anodised aluminium  
17.16m

### Accessories for the product family





Order no.: 061235

**Back protection brace for fixed ladders Anodised aluminium**



Order no.: 061963

**Back protection hoop offset design Anodised aluminium**



Order no.: 063961

**Transfer platform between ladder sections, Ø 700 mm Galvanised steel**



Order no.: 061236

**Vertical ladder connector 200 mm Cast aluminium**



Order no.: 061274

**Safety strut for offset version Anodised aluminium**



Order no.: 068239

**Connecting brace Stainless steel**



Order no.: 063257

**Wall anchor U-bracket, rigid Wall clearance 150 mm**



Order no.: 063259

**Wall anchor U-bracket, rigid Wall clearance 200 mm**



Order no.: 063263

**Wall anchor U-bracket, adjustable, 165–205 mm, galvanised steel 165–205 mm, galvanised steel**



Order no.: 063260

**Wall anchor U-bracket, adjustable, 200–275 mm, galvanised steel 200–275 mm, galvanised steel**



Order no.: 063267

**Wall anchor U-bracket, adjustable, 275–375mm, galvanised steel**



Order no.: 063275

**Wall anchor U-bracket, adjustable, 375–500 mm, galvanised steel**



Order no.: 063250

**Wall anchor, adjustable, 165–205 mm, galvanised steel 165–205 hot-galvanised steel**



Order no.: 063262

**Wall anchor w. Clamping bracket, adjustable, 215–275 mm, galvanised steel 215–275 mm adjustment range Galvanised steel**



Order no.: 063261

**Wall anchor w. clamping bracket, adjustable 275–375 mm, galvanised steel 275–375 mm adjustment range Galvanised steel**



Order no.: 063269

Wall anchor w. clamping bracket, adjustable 375-500 mm, galvanised steel



Order no.: 063270

Special wall bracket, adjustment range 500-600mm, galvanised steel



Order no.: 063271

Special wall bracket, adjustment range 600-700mm, galvanised steel



Order no.: 063272

Special wall bracket, adjustment range 700-800mm, galvanised steel



Order no.: 063273

Special wall bracket, adjustment range 800-900mm, galvanised steel



Order no.: 077059

Fall protection rail 1,40m with aluminium connecting strap



Order no.: 077058

Climbing protection rail 1.96m with aluminium connecting bracket



Order no.: 077057

Climbing protection rail 2.80m with aluminium connecting bracket



Order no.: 061049

Exit side-rail angled Anodised aluminium



Order no.: 061050

Exit side-rail with railing attachment Anodised aluminium



Order no.: 063253

Ground attachment for base plate for vertical ladders galvanised steel



Order no.: 063502

Safety doors without fall protection rail Version from 01-2010



Order no.: 063500

Safety barrier Bare aluminium



Order no.: 062966

Exit step bright aluminium Clearance 100 mm



Order no.: 062967

Exit step bright aluminium 150 mm clearance



Order no.: 062968

**Exit step bright aluminium**  
Clearance 200 mm




Order no.: 062969

**Exit step bright aluminium**  
Clearance 250 mm



Order no.: 062970

**Exit step bright aluminium**  
Clearance 300 mm




Order no.: 061237

**Back protection hoop lateral exit Anodised exit with mounting kit**



Order no.: 061277

**Back protection extension Anodised aluminium**



Order no.: 061445

**Access protection access ladder**



Order no.: 070550

**Access guarding Enclosure**



Order no.: 063497

**Access guard locking door**



Order no.: 063499

**Access guard can be hooked in Bright aluminium, height: 1,190 mm**



Order no.: 060941

**Extension platform 400 x 800 mm**



Order no.: 060943

**Extension platform 800 x 800 mm**




Order no.: 060951

**Extension platform 1000 x 1000 mm**



Order no.: 060952

**Extension platform 500 x 1000 mm**



Order no.: 060942

**Base platform 800 x 800 mm**



Order no.: 060950

**Base platform 1,000 x 1,000 mm**



Order no.: 019176  
Inventory sticker



Order no.: 019175  
Inspection sticker  
40 x 40 mm



Order no.: 019007  
Identification plate  
for fall protection  
device for fall  
protection