













Order no.: 174636

**Mobile scaffolding 1.35 ×
2.45 m with chassis bar
and double platform
Platform height 6.62 m**

Accessories for the product family





Order no.: 027917

Swivel castor with
spindle height
adjustable Ø 200
mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with
hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer
adjustable
Adjustable up to
1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38–51 mm



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070508

Safety door on
front side Push-fit
frame 1.35



Order no.: 070522

Scaffolding
connector set For
scaffolding width:
1.35 m



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 070520

Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin