













Order no.: 169636

**Mobile scaffolding,
1.35 × 3.0 m, with
outrigger & double
platform. Platform height
6.43 m**

Accessories for the product family





Order no.: 027917

Swivel castor with
spindle height
adjustable Ø 200
mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with
hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer
adjustable
Adjustable up to
1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38–51 mm



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070508

Safety door on
front side Push-fit
frame 1.35



Order no.: 070522

Scaffolding
connector set For
scaffolding width:
1.35 m



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 019137

Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070520

Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

**Height-adjustable
spindle**



Order no.: 027922

**Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm**



Order no.: 027921

**Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm**



Order no.: 027958

**Swivel castor Ø
200 mm With
parking brake and
pin**



Order no.: 027902

**Push-fit frame
135/112**