

Order no.: 115289

**Folding scaffolding 1.35 x
1.80 m with outrigger
Platform height 9.08 m**

Accessories for the product family



Order no.: 027992

**Safety railing for
mobile scaffolding**



Order no.: 027972

**Folding frame unit,
1.35 m For
scaffolding length:
1.8 m**



Order no.: 027902

**Push-fit frame
135/112**



Order no.: 027901

**Push-fit frame
135/196**



Order no.: 027955

**Railing lengthwise
1,800 mm**



Order no.: 027931

**Platform with
trapdoor For
scaffolding length:
1.8 m**



Order no.: 027932

**Platform without
flap For scaffolding
length: 1.8 m**



Order no.: 027911

**Toe board front
side For scaffolding
width: 1.35 m**



Order no.: 027943

**Toe board long side
For scaffolding
length: 1.8 m**



Order no.: 027937

**Diagonal brace 1.8
m**



Order no.: 027935

Horizontal strut For
scaffolding length:
1.8 m



Order no.: 027926

Triangular outrigger



Order no.: 027973

Swivel castor with
spindle height
adjustable Ø 125
mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with
hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer
adjustable
Adjustable up to
1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38–51 mm




Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 019477

Automatic steel
hinge for
scaffolding folding
frame



Order no.: 070508

Safety door on
front side Push-fit
frame 1.35



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 019137

Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070524

Scaffolding strut
telescopic 1,700–
2,500 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027959

Swivel castor Ø
125 mm With
parking brake and
pin



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin