





Order no.: 156444

Mobile scaffolding SG
0.75 × 3 m with chassis
bar platform height 4.66
m


Accessories for the product family




Order no.: 027994
Safety railing for mobile scaffolding




Order no.: 027904
Push-fit frame 75/196




Order no.: 027957
Railing lengthwise 3,000 mm




Order no.: 027933
Platform with trapdoor For scaffolding length: 3.0 m




Order no.: 027913
Toe board front side For scaffolding width: 0.75 m




Order no.: 027944
Toe board long side For scaffolding length: 3.0 m




Order no.: 027938
Diagonal brace 3 m



Order no.: 027936
Horizontal strut For scaffolding length: 3.0 m



Order no.: 027923
Chassis bar 2 m



Order no.: 027917
Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

**Clip tray for tubes
Ø 50 mm**



Order no.: 027920

**Wall spacer adjustable
Adjustable up to 1.0 m**



Order no.: 070506

**Frame extension can be clamped on
Adjustment range max. 400 mm**



Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38–51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38–51 mm



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 070520

Scaffolding strut telescopic 2, 120–3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905

Push-fit frame
75/112