








Order no.: 510266

**Multiple-flight vertical  
ladder with back  
protection (machinery)  
bright aluminium 18.84m**


### Accessories for the product family






Order no.: 062234

Ø 700 mm back protection hoop  
Mounting set




Order no.: 062235

Back protection brace for fixed ladders  
Bright aluminium




Order no.: 062963

Back protection hoop offset design  
Bright aluminium




Order no.: 063961

Transfer platform between ladder sections, Ø 700 mm  
Galvanised steel




Order no.: 061236

Vertical ladder connector 200 mm  
Cast aluminium




Order no.: 062274

Safety strut for offset version  
Bright aluminium




Order no.: 068239

Connecting brace  
Stainless steel




Order no.: 063257

Wall anchor U-bracket, rigid  
Wall clearance 150 mm




Order no.: 063259

Wall anchor U-bracket, rigid  
Wall clearance 200 mm




Order no.: 063263

Wall anchor U-bracket, adjustable, 165–205 mm, galvanised steel  
165–205 mm, galvanised steel




Order no.: 063260

Wall anchor U-bracket, adjustable, 200–275 mm, galvanised steel  
200–275 mm, galvanised steel




Order no.: 063267

Wall anchor U-bracket, adjustable, 275–375mm, galvanised steel




Order no.: 063275

Wall anchor U-bracket, adjustable, 375–500 mm, galvanised steel



Order no.: 063250

Wall anchor, adjustable, 165–205 mm, galvanised steel  
165–205 hot-galvanised steel



Order no.: 063262

Wall anchor w. Clamping bracket, adjustable, 215–275 mm, galvanised steel  
215–275 mm adjustment range  
Galvanised steel



Order no.: 063261

Wall anchor w. clamping bracket, adjustable 275-375 mm, galvanised steel 275-375 mm adjustment range Galvanised steel



Order no.: 063269

Wall anchor w. clamping bracket, adjustable 375-500 mm, galvanised steel



Order no.: 063270

Special wall bracket, adjustment range 500-600mm, galvanised steel



Order no.: 063271

Special wall bracket, adjustment range 600-700mm, galvanised steel



Order no.: 063272

Special wall bracket, adjustment range 700-800mm, galvanised steel



Order no.: 063273

Special wall bracket, adjustment range 800-900mm, galvanised steel



Order no.: 077059

Fall protection rail 1,40m with aluminium connecting strap



Order no.: 077058

Climbing protection rail 1.96m with aluminium connecting bracket



Order no.: 077057

Climbing protection rail 2.80m with aluminium connecting bracket



Order no.: 062049

Exit side-rail angled Bright aluminium



Order no.: 062050

Exit side-rail with railing attachment Alu-Rohling



Order no.: 063253

Ground attachment for base plate for vertical ladders galvanised steel



Order no.: 063502

Safety doors without fall protection rail Version from 01-2010



Order no.: 063500

Safety barrier Bare aluminium



Order no.: 062966

Exit step bright aluminium Clearance 100 mm



Order no.: 062967

Exit step bright aluminium  
150 mm clearance



Order no.: 062968

Exit step bright aluminium  
Clearance 200 mm




Order no.: 062969

Exit step bright aluminium  
Clearance 250 mm



Order no.: 062970

Exit step bright aluminium  
Clearance 300 mm




Order no.: 062237

Back protection hoop lateral exit  
Natural exit with mounting kit



Order no.: 062277

Back protection extension Bright aluminium



Order no.: 061445

Access protection access ladder




Order no.: 070550

Access guarding Enclosure



Order no.: 063497

Access guard locking door



Order no.: 063499

Access guard can be hooked in Bright aluminium, height: 1,190 mm



Order no.: 060941

Extension platform  
400 x 800 mm



Order no.: 060943

Extension platform  
800 x 800 mm




Order no.: 060951

Extension platform  
1000 x 1000 mm



Order no.: 060952

Extension platform  
500 x 1000 mm



Order no.: 060942

Base platform 800 x 800 mm

