



Order no.: 116129

Railing for evacuation stairs for rescue and work platform Premium

Specification

Railing height 962 mm	Material Aluminium	Weight 8 kg	Transport dimensions (plus packaging) 2437 x 962 x 50 mm, 8 kg	Business division MUNK Rettungstechnik
--------------------------	-----------------------	----------------	---	--

Order no.
116129

Facts

- Push-fit railing made of aluminium
- Suitable for evacuation staircase 116128
- Mandatory accessories for the evacuation staircase
- Scope of delivery: 2 railings

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090

- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

