



Order no.: 019335

# Information sticker for pit ladder

Suitable for

Step ladder with double-sided access

Step straight ladder

Step ladder with single-sided access

Push-up extension and rope-extension ladders < 3m

3m Push-up extension and rope-extension ladders > 3m

Multi-purpose ladder with rungs

Rung straight ladder < 3 m

Household ladder with single-sided access

Folding ladder, 2-section

ML stepladder accessible on both sides

ML stepladder accessible from one side

Step ladder 250 kg, with double-sided access

Step ladder 250 kg, with single-sided access

Multi-purpose ladder with steps

Step ladder with double-sided access

Rung straight ladder > 3 m with stabiliser

Rung straight ladder > 3 m without stabiliser Push-up extension and rope-extension ladders > 3m

Step straight ladder > 3 m with stabiliser

Step straight ladder > 3 m without stabiliser

Multi-purpose ladder (Stop)

Telescopic ladder 4-section

Multi-function ladder 4-part

Telescopic ladder with two stabiliser bars

Multi-function ladder 4-part



#### Step ladder with double-sided access

Household ladder with double-sided access

Step ladder with double-sided access

Step ladder with double-sided access

Step ladder with double-sided access

## Specification

Suitable for Step ladder with double-sided access	Product type Accessories	Length 150 mm	Width 40 mm	Material Plastics
Transport dimensions 220 x 160 x 10 mm, 0.01 kg	Predecessor product 019020	Business division MUNK Günzburger Steigtechnik	Order no. 019335	

#### **Facts**

- Clear pictograms to illustrate the safety instructions
- Clear and easy-to-understand pictograms for safe use
- Supports users in safe handling and use of ladders
- Ensures safe handling of ladders with steps and rungs
- In accordance with DIN EN 131-3, productspecific stickers with user information must be affixed. An explanation of the pictograms used is found at www.steigtechnik.de
- 1 PU = 20 pcs.

# Scope of supply

Sticker: 20 x



## Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

RoHS

■ REACH

■ The MUNK Group complies with a Code of Conduct

The Supply Chain Act does not apply due to our size

The materials used are listed in the technical specification

Resource-saving production: own photovoltaic systems

Energy-efficient consumption during production: LED lighting

Repairability, durability and quality: 15-year warranty on series products made in Germany

- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures





# Corporate certifications

#### Standards for quality and sustainability









