



Exit railing, side

Type

Metal roof cover

2000 mm with ballast

Freestanding



Specification

Length 2 m	Material Aluminium	Transport dimensions 390 x 390 x 265 mm, 56.4 kg	Transport dimensions 2 1520 x 190 x 140 mm, 7.5 kg	Predecessor product 060988
Business division MUNK Günzburger Steigtechnik	Order no. 060960			

Facts

- Fall protection devices are required at exit points from vertical ladders and should preferably consist of railings on both sides of the vertical ladder, see DIN EN ISO 14122-4 and DIN 18799-3
- Including two clamp connectors for exit side-rail
- Fixing by means of ballast weight 4 x 12.5 kg
- Dimensions: 2,000 x 1,100 mm
- For roof parapet ≥ 150 mm no toe board required



Scope of supply

Garde-corps: 1 x

Ballast weight: 4 x

Installation material: 1 x

Assembly instructions: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

RoHS

REACH

- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Added value

Optimum planning

- Practical planning aids (available as <u>Downloads</u>) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning





Corporate certifications

Standards for quality and sustainability









