



Safety door self-closing for platform ladder





Specification

Suitable for	Product type	Length	Width	Height
Platform ladders	Accessories	728 mm	71 mm	690 mm
Material Aluminium	Transport dimensions 580 x 80 x 60 mm, 2.3 kg	Predecessor product 050126	Business division MUNK Günzburger Steigtechnik	Order no. 050131

Facts

- Only suitable for 303104–303108
- Cannot be combined with push-fit railing version
- When combined with handrail (050114, 050109, 050110), railing must be drilled
- Opens only in the direction of ascent
- Prevents reverse opening with stop
- Automatic closure with hinge springs
- Simple retrofitting
- Mounting on handrail/railing with clamping brackets (rectangular/round)
- Robust aluminium door handle



Fittings made of galvanised steel

Scope of supply

Security door: 1 x

Installation material: 1 x

Assembly instructions: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures





Corporate certifications

Standards for quality and sustainability









