

Order no.: 027105


Ergo platform without flap

Suitable for scaffolding length

1.8 m

2.45 m

3.0 m



Specification

Length 1.9 m	Width 600 mm	Height 100 mm	Suitable for Mobile scaffolding	Transport dimensions (plus packaging) 1895 x 610 x 195 mm, 10.4 kg
Business division MUNK Günzburger Steigtechnik	Order no. 027105			

Facts

- Scaffolding platform made of GFRP
- Less weight than standard platform (phenolic plywood)
- Easy assembly using round tube beams
- Note: Products with GFRP content are non-returnable, due to their sensitivity; the statutory warranty applies (ageing resistance 10 years)

Scope of supply

- Platform: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

