MUNK
Sicherheit. Made in Germany.



Order no.: 111007

3-section rope ladder with supports DIN EN 1147 photoluminescent

Number of rungs

3x17

Specification

Rescue height 12.2 m	Intended use Rescue	Ladder length retracted 5.6 m	Ladder length extended 14 m	Setting angle 70 °
Clear width between rungs 270 mm	Clear width, upper ladder 350 mm	Clear width, central ladder 420 mm	Clear width, lower ladder 420 mm	Outer width 490 mm
Ladder feet Steel point	Depth of side-rails 74	Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 3x 17 rungs
Max. load capacity 324 kg	Persons max. 3	Material Aluminium	Rung covering Glow (yellow luminescent)	Transport dimensions (plus packaging) 6155 x 580 x 245 mm, 82.5 kg
Business division MUNK Rettungstechnik	Order no. 111007			

Facts

- 3-section rope-extension ladder made of aluminium
- Rescue ladder compliant with DIN EN 1147

We reserve the right to make technical changes and price changes.

- With rope pulley, locking hook and rope brake
- Yellow luminescent, heat-insulating and non-slip plastic covering
- Supports made of aluminium tube with steel spikes and rubber jacketing
- 4-fold edged rung-to-side-rail connection
- Corrosion-resistant fixtures made of galvanised steel
- Lower ladder with steel spikes at the base
- Upper ladder with wall wheels
- Permissible load: 324 kg / 3 people

More product pictures









MUNK
Sicherheit. Made in Germany.

Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022