

Order no.: 120917

Trolley for oxygen canisters

Design

staged

without stages



Specification

Length 800 mm	Width 610 mm	Height 984 mm	Max. load capacity 300 kg	Castor diameter 125 mm
Braking system Fußfeststellbremse	Castor type 2 Lenkrollen/2 Bockrollen	Weight 23.5 kg	Business division MUNK Rettungstechnik	Order no. 120917

Facts

- Trolley for oxygen canisters
- For vertical storage of up to twelve oxygen canisters 6 l steel or 6.8 l composite
- Storage shelves made of robust hard foam panels
- Further sizes and versions available on request
- Scope of delivery without equipment items
- Series production quality equipment
- Stable and durable construction made of high-strength aluminium sections

- Ergonomic operation via continuous handle bar with non-slip cold-insulating SoftGrip coating
- Two ball bearing castors Ø 125 mm with wheel slewing arrestor for optimum handling
- Two ball bearing fixed castors Ø 125 mm
- Foot-operated parking brake on both castors

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

