

Order no.: REF-7312847

## Hinged access ramp



### Specification

Length 1.45 m	Total length max. 1.76 m	Extendable No	Foldable Yes	Total width 212 mm
Material Aluminium	Material thickness 60 mm	Surface Aluminium corrugated	Mobile No	Business division MUNK Rettungstechnik

Order no.  
REF-7312847

### Facts

- Compact access ramp made of aluminium
- Non-slip covering made of grooved aluminium
- For easy and safe loading and unloading of vehicles and trailers
- With side toe boards
- Total length folded in approx. 1,500 mm
- Total length folded out approx. 3,000 mm
- Total width approx. 200 mm

- Maximum load: 250 kg

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

