



Order no.: REF-7140263 Mobile container oil barrier

Specification

Business division MUNK Rettungstechnik Order no. REF-7140263

Facts

- For holding:
- 2x oil barrier 20 m
- 1x Eurobox (600 x 400 x 420 mm) for storing 1x Sorb oil suction sheet
- 2x compressed air canisters 7 I / 300 bar
- 2x embankment piece
- 2x ground anchor plates
- 24x ground spikes
- 2 x sledgehammer
- 1x Eurobox (400 x 300 x 320 mm) for storing 6x working line 20 m
- 1x Eurobox (400 x 300 x 320 mm) for storing 1x compressed air fittings and 1x compressed air connector



- 2x Eurobox (600 x 400 x 320 mm) for storing 8x counterweight bags and 2x connecting apron
- 1x Eurobox (600 x 400 x 320 mm) for storing 2x waders and 3x PVC gloves

Scope of supply

Mobile container: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures







Added value

Reference model

With our reference models, we provide you with a selection of individual roll containers to illustrate the variety and possibilities of our designs. We would also be happy to manufacture mobile containers for your needs - please contact us!



Corporate certifications

on sustainability criteria

