



Order no.: REF-7251240

Mobile container traffic safety

Reference model type

1

2 (with LED warning sign)

Specification

Product type

Business division MUNK Rettungstechnik Order no. REF-7251240

Facts

- Design:
- Including electrical cabling of the mobile container
- Supply line to the mobile container via spiral cable 3,000 mm
- Switch cabinet with MagCode connection
- Cabling of all chargers on the switch cabinet
- For holding:
- 16 x traffic directing cones 750 mm
- 6x LED flashing light Compact including vehicle charger
- 2 x folding signal 700 mm
- 10x holder for barrier tape
- 8x flashing rod light



- 2x traffic paddle
- 1x Eurobox (400 x 300 x 220 mm) for barrier tape
- 1x privacy screen in 2 bags

Scope of supply

Mobile container: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures





Added value

Reference model

With our reference models, we provide you with a selection of individual roll containers to illustrate the variety and possibilities of our designs. We would also be happy to manufacture mobile containers for your needs - please contact us!



Corporate certifications

on sustainability criteria







