



Order no.: 033117

Wooden rung single ladder nivello® traverse

Number of rungs



Specification

Working height	Step design	Number of steps/rungs	Step/Rung height	Step depth
4.7 m	Rungs	12 rungs	40 mm	21 mm
Step/Rung distance	Ladder length	Outer width	Stabiliser width	Depth of side-rails
280 mm	3.6 m	420 mm	930 mm	70 mm
Width of side-rails 27 mm	Max. load capacity 150 kg	Design type To lean against	Transport dimensions 3565 x 420 x 70 mm, 12.9 kg	Business division MUNK Günzburger Steigtechnik
Order no.				

033117

Facts

- Rung straight ladder made of wood
- Side-rails made of finger-jointed pine or knotfree Caroline pine, rungs made of ash
- Pegged rung-to-side-rail connection, resulting in smooth side-rail surface
- Rung distance: 280 mm



- Ladder width: 420 mm (without stabiliser)
- Wooden stabiliser with non-slip ladder shoes with optimum width for the selected product. Ensures maximum stability and safe ascent for straight ladders over 3.0 m. The stabiliser is enclosed separately and is screwed to the lower end of the rail in two places
- Maximum load: 150 kg

Scope of supply

Ladder: 1 x

Stabiliser (enclosed separately): 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures



Industrial grade

- Sturdy processing for demanding applications (e.g. 4-fold edging)
- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories

Note: Working heights

- National regulations (e.g. TRBS 2121 Part 2 in Germany) must be complied with with regard to the maximum working height when using the ladder as a workstation.
- Information on <u>TRBS 2121 Part 2</u> has been summarised on our Service page
- Read our <u>tips and tricks</u> on how to calculate working height





Corporate certifications

on sustainability criteria

