

Order no.: 030386

# Retrofit traverse with nivello 0.93 m for GRP ladders



For depth of side-rail [mm]

58

73

## Specification

Product type Accessories	Max. load capacity 150 kg	Length 930 mm	Width 96 mm	Height 155 mm
Depth of side-rails 58 mm	Width of side-rails 25 mm	Stabiliser width 930 mm	Material GFRP	Transport dimensions 925 x 105 x 92 mm, 2.14 kg
Business division MUNK Günzburger Steigtechnik	Order no. 030386			

## Facts

- Increases safety and reduces the risk of falls and accidents
- Easy retrofitting on existing ladders for a more stable footing
- Incl. mounting material

## Scope of supply

- Stabiliser (enclosed separately): 1 x
- Installation material: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



Corporate certifications

---

Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



**Nachhaltigkeit**

**EcoVadis**  
sustainable supply management

CSR-Rating in Silber 2022

