MUNK
Sicherheit. Made in Germany.



Order no.: 040335

Hook-on step ladder for trucks

Number of steps

8

Specification

Hook-in height 1.13 - 1.21 m	Step design Steps	Ladder length 2.1 m	Outer width 420 mm	Depth of side-rails 73 mm
Width of side-rails 24.5 mm	Number of steps/rungs 8 steps	Step width 370 mm	Step depth 80 mm	Transport dimensions (plus packaging) 2150 x 420 x 160 mm, 8 kg
Business division MUNK Günzburger Steigtechnik	Order no. 040335			

Facts

- Aluminium step straight ladder
- Special suspension device for maximum safety directly on the semi-trailer
- Stable hold without slipping, wobbling or tipping over - even on uneven surfaces
- Reliable suspension hook system prevents the ladder from slipping
- Stable and secure base during load securing - can be used directly on the loading area

- For safe access to the truck / trailer
- Stable rectangular tube side-rails
- 80 mm deep, ribbed steps R13 + R10
- 4-fold edged step-to-side-rail connection
- nivello® ladder shoes with patented 2-axis inclination technology
- Step spacing: 235 mm
- Ladder width: 420 mm
- Ladder inclination: 70°
- Maximum load: 150 kg
- Please note: Wear and tear of the corundum grit caused by use is typical of this material. Individual particles may also become dislodged during use.

Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

More product pictures









Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



The movable ladder shoe sets new standards in stability

Learn more



Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022