

Order no.: 070990

## Equestrian climbing aid with castors



Number of steps

- 2
- 3
- 4
- 5



### Specification

Platform height 1 m	Top surface depth 300 mm	Top surface width 550 mm	Step/Platform surface Steel grating	Non-slip class R12
Base area length 1.46 m	Base area width 820 mm	Design type Rigid   With castors   Single-sided access	Number of steps/rungs 5 steps	Max. load capacity 150 kg
Material Aluminium   Galvanised steel	Transport dimensions (plus packaging) 1335 x 820 x 1003 mm, 26.5 kg	Business division MUNK Günzburger Steigtechnik		

### Facts

- Safe, non-slip mounting - protects the horse's back and makes mounting easier
- 220 mm deep steel grating steps provide secure footing in all weather conditions
- Easy to transport thanks to practical castors - easy to move, ideal for use in stables or riding arenas
- Weatherproof construction for use in rain, snow and mud - reliable grip in all weather conditions

### Description

The rigid climbing aid with castors is the perfect solution for dynamic locations in the stable. Thanks to the steel grating (R12) as a tread, it offers maximum grip and is non-slip even on dirty or wet surfaces. Two integrated lifting castors enable easy transport – ideal for changing locations in stables or on tournament grounds.

#### Advantages at a glance

- Large upper standing area of 550 x 300 mm for a secure and comfortable hold when climbing up
- Non-slip plastic shoes ensure a firm footing on any surface and additional stability
- Wide, ergonomic treads offer stair-like comfort and maximum safety
- Maximum load: 150 kg
- Maximum mobility: The practical castors allow for effortless movement between different locations without impairing stability.
- Robust quality: Zinc-plated steel steps and a stable tubular construction guarantee durability and reliability, even during intensive use.
- Ergonomic working: Sophisticated step spacing and generous platforms (550 x 300 mm) ensure comfort and safety when mounting.

#### Your added value

These variants of the climbing aid impress with their flexibility and stability. Whether in larger stables or in mobile operations, the climbing aid with castors helps you to work efficiently while promoting the well-being of your horse.

#### Scope of supply

- Ascent aid: 1 x

#### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.

- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Added value

---

### Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



### Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



### From small to large

- The right product for every application
- One-sided and two-sided variants



### Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



## Corporate certifications

---

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

