



Order no.: 115488

Telescopic ladder Rescue Line 4.1 m red DIN EN 1147

Design

red, 3.5 m

red, 4.1 m

black

Specification

| | | | | |
|-------------------------------|-----------------------------------|---|--|-----------------------|
| Intended use Rescue | Ladder length retracted 1.17 m | Ladder length extended 4.1 m | Setting angle 70 ° | Outer width 470 mm |
| Depth of side-rails 100 mm | Width of side-rails 75 mm | Number of steps/rungs 13 rungs | Max. load capacity 500 kg | Persons max. 3 |
| Material Aluminium | Rung covering Standard (red) | Transport dimensions (plus packaging) 1170 x 490 x 125 mm, 21.5 kg | Business division MUNK Rettungstechnik | Order no. 115488 |

Facts

- Aluminium telescopic ladder
- Rescue ladder compliant with DIN EN 1147
- Abrasion-resistant anodised triangular tube side-rails (partly plastic-coated)
- With heat-insulating, non-slip plastic coating
- Variable height adjustment via intuitive telescopic function (partial heights possible)
- Integrated indication of different heights (2.0 / 2.5 / 3.0 / 3.5 m)

- Safety system for controlled retraction
- Minimises the risk of crushing and injury
- Permissible load: 324 kg / 3 people
- These products are covered by the statutory warranty

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548

