



Order no.: 110011

Shot hook and tear hook

Specification

Material Aluminium Kunststoff Stahl verzinkt	Extended length 1.04 m	Extended length with extension 1.98 m	Weight with extension 3 kg	Business division MUNK Rettungstechnik
Order no. 110011				

Facts

- Ready for use by fire and rescue services for pushing, tearing down and pulling out
- Tool head made of galvanised steel with chisel-shaped striking surface and hook
- Aluminium handle for stable yet handy use
- Highly variable thanks to standard extension
- Non-slip grip and cold protection for safe use even when wearing gloves
- Removable D-handle can be mounted in two positions (90° offset)
- Tool-free locking thanks to double spring snap lock

Description

The pry bar is an indispensable tool for fire brigades and rescue services. It is used to pry, tear and pull out components and impresses with its robust construction and easy handling – even under extreme conditions.

The tool consists of a sturdy, galvanised steel head with a chisel-shaped striking surface and hook, and a lightweight aluminium handle with extension. A removable D-handle enables ergonomic working and can be attached in two positions (90° offset). Thanks to the double spring snap lock, locking is quick, secure and requires no tools – even when wearing firefighting gloves.

- Length: one-piece approx. 1000 mm – two-piece approx. 2000 mm for maximum reach
- Electrical insulation tested in accordance with DIN EN 60243-1 (VDE 0303-21)

With a total length of up to 2000 mm and a weight of less than 3 kg, the hook is particularly powerful and easy to use.

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Certificates

	26-13r - CATU 26-13r Valid in EXTMODEL2870-3
---	--

Corporate certifications

Standards for quality and sustainability

