

Order no.: 032084

4-section telescopic step ladder with crossbar



Number of steps

4x4

4x5

Specification

Working height min. 3.03 m	Working height max. 4.37 m	Number of steps/rungs 4x 4 rungs	Step/Rung height 92 mm	Step depth 130 mm
Step/Rung distance 265 mm	Step design Stufen	Ladder length as straight ladder 3.3 m	Ladder length as double-sided ladder 1.7 m	Outer width 800 mm
Stabiliser width 850 mm	Width of side-rails 35 mm	Max. load capacity 150 kg	Design type Flexibel 4-teilig treppengängig	Transport dimensions (plus packaging) 1230 x 580 x 270 mm, 16.7 kg
Business division MUNK Günzburger Steigtechnik	Order no. 032084			

Facts

- Flexible use as a step ladder, standing ladder or stair ladder
- Wide, non-slip steps for a secure and comfortable footing

- Height adjustable in stages via sturdy locking handles
- Two lockable safety joints for secure position changes
- Anodised rails and steps for long-lasting surface protection
- Wide crossbar with non-slip foot caps for a firm footing
- Tested in accordance with EN 131, suitable for use as a workplace in accordance with TRBS 2121-2
- Maximum load: 150 kg

Scope of supply

- Ladder: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality

- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



Corporate certifications

Standards for quality and sustainability

