



Order no.: 300132

## Storage tray for railings, flush with clip

Edge height in millimetres

100

50

## Specification

Transport dimensions  
(plus packaging)  
646 x 352 x 587 mm,  
4.6 kg

Business division  
MUNK Günzburger  
Steigtechnik

Order no.  
300132

## Facts

- From 800 mm railing width
- Compact dimensions with a width of 600 mm, total height of 587 mm, rim height of 100 mm and approx. 300 mm clear width – space-saving, functional and practical
- Universally applicable for railings with a front diameter of 40 mm – ideal for overpasses, stairs with platforms, mobile platform stairs, walkways and de-icing systems
- Perfect for storing tools and utensils
- Simple installation without additional tools

## Scope of supply

- Storage tray: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Added value

---

### Product configurator

Configuring, enquiring about and ordering individual products could not be easier with our [product configurator](#) for stairs, bridging steps and mobile platform stairs. Simply enter your required dimensions and versions step by step, and a rotating 3D model will appear in real time. To save your configuration and request a quotation requires a login which will be set up for you by our Sales team.

Did you not find the right storage tray? Click on the link to see an overview of all our [storage trays](#).



Corporate certifications

Standards for quality and sustainability

