



Order no.: 071050

## Telescopic ladder for vehicle access



### Specification

|                           |                                  |   |  |                     |
|---------------------------|----------------------------------|---|--|---------------------|
| Step design<br>Sprossen   | Number of steps/rungs<br>6 rungs | Transport dimensions<br>(plus packaging)<br>1907 x 375 x 105<br>mm, 10.9 kg | Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>071050 |
| Extended length<br>3.31 m | Retracted length<br>1.91 m       |   |  |                     |

### Facts

- Aluminium telescopic rung ladder
- Integrated mounting hooks grip securely onto the vehicle body – for safe access to tippers, vans and commercial vehicles
- Stable rectangular tube side-rails
- Rectangular rungs grooved on both sides, 30 x 30 mm
- Extends from 1,900 mm to 3,309 mm – can be locked in place at each rung to accommodate vehicles of different heights

- Specially designed for boarding tippers, vans and commercial vehicle bodies – whether on everyday construction sites or in haulage operations
- High-strength rung-to-side-rail connection
- Rung distance: 280 mm
- Maximum load: 150 kg
- Note: In accordance with TRBS 2121 Part 2, a suitable accessory is required for working on this ladder

### Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



## Corporate certifications

---

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

