



Order no.: 127127

ML FlexxLift 4.0 MP

Specification

Working height 4 m	Platform length 740 mm	Platform width 645 mm	Approved for outdoor use No	Max. load capacity 135 kg
Platform height max. 2 m	Inclination 0 °	Transport dimensions (plus packaging) 1180 x 735 x 1670 mm, 275 kg	Order no. 127127	

Facts

- Manual vertical mast lift, working height 4.00 m
- Maximum load capacity: 135 kg (person plus equipment)
- Patented gas spring lifting mechanism, non-powered
- Manual travel and lifting drive, operable with one hand
- Open work basket with horizontal knee rail
- Transport width 735 mm, net weight 275 kg – fits through standard doors and into lifts
- Compact, in EU pallet dimensions, with a low overall height

Description

Anyone working alone at height wants to stand securely – and get started without any hassle. The ML FlexxLift 4.0 MP manual vertical mast lift raises one person to a working height of 4.00 m. No electricity required, operated with one hand, ready to go straight away.

One-handed lifting, no electricity required

A patented lifting mechanism with a gas spring supports the load. You can raise and lower the platform effortlessly with one hand. No battery, no charger, no power connection – the system is virtually maintenance-free.

- Forklift pockets and lifting eyes
- Tested in accordance with EN 280 (Class 1A), CE conformity and test report

Open platform – safe and practical

The robust, open square platform makes it easy to access and exit from the side. You can also comfortably reach your materials in the lower section. If you need more protection, add the optional Velcro cover from the knee rail upwards – without sacrificing the open platform.

Lightweight, compact, portable

Weighing just 273 kg, the platform protects sensitive floors. It complies with EU pallet dimensions and, thanks to its low profile, fits into standard panel vans. Forklift pockets and lifting eyes make loading quick and easy.

Tested safety

Tested to EN 280 (Class 1A). A CE Declaration of Conformity and test report are included in German. Optional warranty of 24 months, or 60 months on the steel structure – with an annual MUNK inspection. Request a quote now.

Scope of supply

- Lift: x
- Instructions for use and operation: x

More product pictures



Corporate certifications

Standards for quality and sustainability

