

Order no.: 930209

Mounting bracket 30x30 mm



Type

30x30

40x40

Specification

Material Galvanised steel	Profile dimension X 30 mm	Profile dimension Y 30 mm	Weight/piece 46 g	Groove size 6 mm
Dimension A 27 mm	Dimension B 34 mm	Dimension C 4 mm	Order no. 930209	

Facts

- Profile angle for profile 30
- Flat, space-saving angle
- For joining profiles to each other
- For assembling different components
- No machining required

Description

These profile angles are the ideal solution for your assembly troubles. Thanks to their flat, space-saving shape, you can very simply place the brackets between two profiles and thus join different components to each other. No machining required!

Scope of supply

- Mounting bracket: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022