

Order no.: 930200

## M5 slot nut 6 mm slot

Type



M6-6 M5-8 M6-8

M8-8



### Specification

Material	Weight/piece	Groove size	ISO thread	Dimension A
Galvanised steel	5 g	6 mm	M5	17 mm
Dimension B 10 mm	Dimension C 7.9 mm	Order no. 930200		

#### **Facts**

- High-strength steel slot nuts
- For assembling profiles, construction parts and accessories in a range of positions
- Particularly suitable for exposure to dynamic stresses
- Slot nuts are swivelled into the side of the profile slot or inserted into the front

## Description

Our steel slot nuts are particularly suitable for exposure to dynamic stresses and can be installed in different positions. Slot nuts are swivelled into the side of the profile slot or inserted into the front. Versions to fit all slot sizes of our construction profiles are available.



### Scope of supply

■ Slot nut: 1 x

#### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

#### More product pictures





# Corporate certifications

#### on sustainability criteria







