



Order no.: 040742

Window cleaner's ladders

Number of steps/rungs

2/6 + 5 + 7

5 + 7

3x5 + 4

6 + 5 + 7

Specification

Working height 6.75 m	Ladder length 6.1 m	Number of steps/rungs 1x2 St. 1x6 St. 1x5 St. 1x7 St.	Step depth 80 mm	Step/Rung distance 263 mm
Upper outer width 118 mm	Lower outer width 900 mm	Stabiliser width 900 mm	Inclination 70 °	Depth of side-rails 73 mm
Width of side-rails 25 mm	Max. load capacity 120 kg	Design type Zum Anlehnen	Transport dimensions (plus packaging) 1850 x 470 x 230 mm, 25.9 kg	Business division MUNK Günzburger Steigtechnik
Order no. 040742				

Facts

- Step window cleaner's ladder made of aluminium
- Stable rectangular tube side-rails
- 80 mm-deep steps with clip-step R13 slip-resistant step padding
- 4-fold edged step-to-side-rail connection

- Secure push-fit connection with additional hook lock
- Upper ladder with castors and abrasion-resistant contact rubber pad with wedge cut-out
- Lower ladder with nivello® stabiliser for extra stability and safe ascent (enclosed separately)
- Step spacing: 263 mm
- Ladder inclination: 70°
- Maximum load: 120 kg

Scope of supply

- Step window cleaner's ladder lower section with nivello® stabiliser and clip-step R13: 1 x
- Step window cleaner's ladder lower section with nivello® stabiliser and clip-step R13: 1 x
- Step window cleaner's ladder middle section with clip-step R13: 1 x
- Step window cleaner's ladder upper section with clip-step R13: 1 x
- Instructions for use and operation: 1 x
- Stabiliser (enclosed separately): 1 x

More product pictures



Added value

Industrial grade

Stable and robust for tough everyday working life
(including 4-way edging)


- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



clip-step R 13 step padding

Certified non-slip protection for step ladders

- Fulfills the requirements of the highest possible non-slip class R 13 thanks to aluminium oxide particles
- Improves work safety in wet and oil-contaminated environments
- Applied up to the maximum accessible step as a visual check
- Retrofittable, available as a spare part and also in yellow in selected lengths (RAL 1021)



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



The movable ladder shoe sets new standards in stability

[Learn more](#)



nivello® stabiliser

Extra safe, standards-compliant ascent for straight ladders over 3.0 m

- Extra wide stabiliser for even greater stability
- nivello® ladder shoes with patented 2-axis inclination technology, integrated work angle check and exchangeable foot plates
- Individually available as spare part



roll-bar retrofit kit

- Rolling instead of carrying: ergonomic and convenient handling
- Simple, no-drill mounting on stabilisers
- User-friendly operation without bending down



Corporate certifications

Standards for quality and sustainability

