

Order no.: 012910

# FlexxTower stairway kit 2

° B



## Specification

| Suitable for<br>Mobile scaffolding | Transport dimensions<br>2082 x 725 x 117<br>mm, 10.8 kg | Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>012910 | Length<br>2.08 m |
|------------------------------------|---|--|---------------------|------------------|
| Width<br>725 mm                    | Height<br>118 mm  |  |                     |                  |

### Facts

- Expansion for FlexxTower stairway kit 1
- For assembling the one-person scaffold in stairwells with complete access so that staircases can still be used (order no. 12909 required)
- Incl. one push-fit frame with access
- Incl. a hook ladder for climbing onto the scaffold



#### Scope of supply

Push-fit frame: 1 x

Ladder: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



## More product pictures





### Corporate certifications

#### on sustainability criteria



