

Order no.: 030347

Shelf Ladders

Type

- Alu / 1 m
- Alu / 1,5 m
- Alu anodised / 1 m
- Alu anodised / 1.5 m
- Galvanised steel / 1 m
- Galvanised steel / 1.5 m



Specification

| | | | | |
|-------------------------------|---|---------------------------|-------------------|--|
| Length 1 m | Diameter 30 mm | Product type Alu / 1 m | Weight 0.48 kg | Transport dimensions 1000 x 30 x 2 mm, 1 kg |
| Predecessor product 030308 | Business division MUNK Günzburger Steigtechnik | Order no. 030347 | Price € 14.00 | |

Facts

- Rail system for hooking in shelf ladders
- Materials: Light metal pipe or steel pipe
- Pipe diameter 30 mm
- Available lengths: 1000 mm and 1500 mm
- Note: 1 intermediate support or holder with stop is required for each 1 m pipe

Scope of supply

- Tube: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Industrial grade

Stable and robust for tough everyday working life
(including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Versatile solutions

- Ladders available in standard lengths or individual dimensions
- Available with and without roll-top as well as a rotatable version
- Optional spring-loaded castors
- For single and double-sided shelves



Rail system

- Made-to-measure production of the rail system
- Easy assembly of all components



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

