



Order no.: 062234

Ø 700 mm back  
protection hoop

Material

- Aluminium
- Anodised aluminium
- Stainless steel
- Galvanised steel

Specification

Material Aluminium	Transport dimensions (plus packaging) 765 x 685 x 60 mm, 1.68 kg	Business division MUNK Günzburger Steigtechnik	Order no. 062234	Spare part for article no. 510100
Spare part for article no. 510125	Spare part for article no. 510120	Spare part for article no. 510105	Spare part for article no. 510110	Spare part for article no. 510115

Facts

- Effective protection against falls and accidents
- Easy to install and adapt to different vertical ladder models
- Mounting kit included

Scope of supply

- Protection hoop : 1 x
- Installation material: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Optimum planning

- Practical planning aids (available as [Downloads](#)) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning



## Corporate certifications

---

### Standards for quality and sustainability

