

Order no.: 011179

Ridge bracket



Specification

Product type Accessories	Length 805 mm	Width 460 mm	Step depth 30 mm	Castor diameter 125 mm
Material Aluminium	Weight 2.5 kg	Transport dimensions 852 x 460 x 644 mm, 2.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 011179
Price € 191.00				


Facts

- For straight ladders with 30 x 30 mm rungs
- For quick repair work on roof and chimneys
- The ridge bracket is mounted on the rungs of the straight ladders. The straight ladder can be easily rolled to the ridge with the castors, turned over and safely hooked into place
- Made of aluminium

Information on sustainability criteria

-
- Corporate certification: ISO 9001
 - Corporate certification: ISO 14001
 - Corporate certification: EN 1090
 - Corporate certification: EcoVadis
 - RoHS
 - REACH
 - The MUNK Group complies with a Code of Conduct
 - The Supply Chain Act does not apply due to our size
 - The materials used are listed in the technical specification
 - Resource-saving production: own photovoltaic systems
 - Energy-efficient consumption during production: LED lighting
 - Repairability, durability and quality: 15-year warranty on series products made in Germany
 - Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
 - Socially acceptable working conditions in production: fair wages, gender equality
 - Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
 - No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

