


Order no.: 019116

Perforated rung, bright steel

Length [mm]

- 300
- 400
- 470



Specification

Length 300 mm	Material Bright steel	Transport dimensions (plus packaging) 300 x 30 x 27.7 mm, 0.4 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019116
------------------	--------------------------	---	--	---------------------

Facts

- Step width 29 mm, Ø 6 mm hole
- Only available in stated lengths
- Design in bright steel or stainless steel 1.4571

Scope of supply


- Perforated rung: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090

- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

