

Order no.: 027913

# Toe board front side

#### Suitable for scaffolding width

0.75 m 1.35 m 1.9 m



## Specification

| Length<br>668 mm                                     | Width<br>150 mm     | Height<br>22 mm | Suitable for<br>Mobile scaffolding  <br>Folding scaffolding | Transport dimensions<br>668 x 150 x 20 mm,<br>1 kg |
|--|---------------------|-----------------|---|--|
| Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>027913 |                 |   |  |

### Facts

- Toe board to attach to the front side
- Increases comfort when working at height
- Provides additional safety at height

## Scope of supply

Toe board: 1 x

### Information on sustainability criteria



- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

#### More product pictures





## Corporate certifications

#### on sustainability criteria



