

Order no.: 027937

## Diagonal brace

Suitable for scaffolding length

1.8 m 2.45 m 3.0 m



### Specification

Length 2.21 m	Width 50 mm	Height 95 mm	Suitable for Rollgerüste   Klappgerüste	Transport dimensions (plus packaging) 2210 x 50 x 95 mm, 2 kg
Business division MUNK Günzburger Steigtechnik	Order no. 027937	Spare part for article no. 125145	Spare part for article no. 125146	Spare part for article no. 125147
Spare part for article no. 125148	Spare part for article no. 125149	Spare part for article no. 125150		

### Facts

- Simple mounting and safe application
- Quick and uncomplicated installation
- Diagonal brace

## Scope of supply

- Brace: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Corporate certifications

---

### Standards for quality and sustainability

