



Order no.: 027942

Push-fit frame 190

Number of rungs

4



Specification

Length 2.08 m	Height 1.96 m	Scaffolding width 1.9 m	Suitable for Folding scaffolding	Transport dimensions 2080 x 2080 x 60 mm, 12.5 kg
Business division MUNK Günzburger Steigtechnik	Order no. 027942	Spare part for article no. 115584	Spare part for article no. 115544	Spare part for article no. 115564

Facts

- Easy to install thanks to sophisticated push-fit system
- Lightweight for easy handling and transport
- For folding scaffolding with triple platform
- For scaffolding width of 1.9 m

Scope of supply

■ Push-fit frame: 1 x



Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

RoHS

■ REACH

■ The MUNK Group complies with a Code of Conduct

The Supply Chain Act does not apply due to our size

The materials used are listed in the technical specification

Resource-saving production: own photovoltaic systems

Energy-efficient consumption during production: LED lighting

Repairability, durability and quality: 15-year warranty on series products made in Germany

Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.

Socially acceptable working conditions in production: fair wages, gender equality

Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic

No health hazards for the users

More product pictures





Corporate certifications

on sustainability criteria







