

Order no.: 027946

Folding frame unit with swivel castors



Scaffolding width [mm]

750

1350

Specification

Scaffolding width 1.35 m	Suitable for Folding scaffolding	Transport dimensions (plus packaging) 1540 x 1400 x 220 mm, 25.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 027946
-----------------------------	-------------------------------------	------------------------------------------------------------------------------	------------------------------------------------------	---------------------

Facts

- Parking brake on each castor for additional safety
- Smooth-running castors ensure effortless movement
- Suitable for folding scaffolding with order no. 115301–115601

Scope of supply

- Frame: 1 x
- Swivel castor: 4 x
- Installation material: 1 x
- Assembly instructions and instructions for use: 1 x

Information on sustainability criteria

-
- Corporate certification: ISO 9001
 - Corporate certification: ISO 14001
 - Corporate certification: EN 1090
 - Corporate certification: EcoVadis
 - RoHS
 - REACH
 - The MUNK Group complies with a Code of Conduct
 - The Supply Chain Act does not apply due to our size
 - The materials used are listed in the technical specification
 - Resource-saving production: own photovoltaic systems
 - Energy-efficient consumption during production: LED lighting
 - Repairability, durability and quality: 15-year warranty on series products made in Germany
 - Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
 - Socially acceptable working conditions in production: fair wages, gender equality
 - Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
 - No health hazards for the users

More product pictures

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548

