



Order no.: 027959

## Swivel castor

Castor diameter [mm]

125

200

## Specification

Suitable for Folding scaffolding

Max. load capacity 300 kg

Transport dimensions 225 x 60 x 20 mm, 1.5 kg

Business division MUNK Günzburger Steigtechnik Order no. 027959

### Facts

- With locking device and pin
- Load capacity up to 300 kg at Ø 125 mm
- Load capacity up to 400 kg at Ø 200 mm

## Scope of supply

Swivel castor: 1 x

#### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090



- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

#### More product pictures





# Corporate certifications

### Standards for quality and sustainability









