



Order no.: 050105

Platform stairs, with singlesided access, with springloaded castors, grooved aluminium





### Number of steps

2	3	4	5	6	7	8
---	---	---	---	---	---	---

# Specification

Working height 3.2 m	Step design	Number of steps/rungs	Platform included as step	Step/Platform surface
	Steps	5 steps	Yes	Aluminium corrugated
Non-slip class	Platform height	Height	Platform length	Platform width
R9	1.2 m	2.2 m	800 mm	600 mm
Step/Rung height	Step depth	Step/Rung distance	Inclination 60 °	Depth of side-rails
25 mm	200 mm	235 mm		57 mm
Width of side-rails	Castor diameter	Base area length	Base area width	Max. load capacity
24 mm	125 mm	1.58 m	880 mm	150 kg
Design type Freestanding   Single- sided access   With castors	Transport dimensions 1585 x 896 x 1197 mm, 35.2 kg	Business division MUNK Günzburger Steigtechnik	Order no. 050105	

# Facts

- Aluminium platform stairs, single-sided
- Stable rectangular tube side-rails
- Steps with a depth of 200 mm
- Roomy platform (600 x 800 mm)
- with 3-sided 1,000 mm high railing with knee and toe boards
- Easy to assemble (delivered unassembled)
- In accordance with DIN EN 131-7, handrails are optional for ascending platform ladders with an ascent angle ≥ 60°



Maximum load: 150 kg

## Scope of supply

Platform stairs: 1 x

Instructions for use and operation: 1 x

Spring-loaded castor: x

### Information on sustainability criteria

Corporate certification: ISO 9001
Corporate certification: ISO 14001
Corporate certification: EN 1090
Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures





#### Added value

#### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Conical side-rail guide for safe stance
- Railings and knee boards for safe access and stance



#### Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



#### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



#### Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit: <a href="https://www.bgbau.de/service/angebote/arbeitsschutzpraemien">www.bgbau.de/service/angebote/arbeitsschutzpraemien</a>

A brief overview of the subsidy and an overview of our eligible products can be found on our website under know-how.

### Certificates





# Corporate certifications

## Standards for quality and sustainability









