



Order no.: 062049

Exit side-rail angled

Material

Aluminium

Anodised aluminium

Stainless steel

Galvanised steel

Specification

Length 1.6 m Material Aluminium Transport dimensions 1585 x 500 x 25 mm, 2 kg Business division MUNK Günzburger Steigtechnik Order no. 062049

Facts

Single-sided, angled

Side-rail dimensions: 60 x 25 mm

Total length: 1,600 mm

Working length: 1,200 mm

■ 1 PU = 1 pcs.

Scope of supply

Exit rail: 1 x

Installation material: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001



Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Added value

Optimum planning

- Practical planning aids (available as <u>Downloads</u>) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning





Corporate certifications

Standards for quality and sustainability









