

Order no.: 063249

Rigid wall anchor 200 mm, galvanised steel



Specification

| | | | | |
|--------------------------------------|--------------------------------------|--------------------------------------|---|--|
| Wall distance 200 mm | Wall anchor Einzeln | Material Stahl verzinkt | Transport dimensions (plus packaging) 235 x 117 x 60 mm, 0.96 kg | Business division MUNK Günzburger Steigtechnik |
| Order no. 063249 | Spare part for article no. 500115 | Spare part for article no. 520120 | Spare part for article no. 500125 | Spare part for article no. 500120 |
| Spare part for article no. 500100 | Spare part for article no. 500105 | Spare part for article no. 500110 | Spare part for article no. 520115 | Spare part for article no. 520105 |
| Spare part for article no. 510120 | Spare part for article no. 520125 | Spare part for article no. 520100 | Spare part for article no. 520110 | Spare part for article no. 510105 |
| Spare part for article no. 510110 | Spare part for article no. 510115 | Spare part for article no. 510125 | Spare part for article no. 510100 | |

Facts

- Optimum stability thanks to rigid mounting mechanism
- Wall anchor made of galvanised steel for long-lasting stability

- Stable and durable steel construction for high loads
- Wall anchor


Scope of supply

- Wall anchor: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Optimum planning

- Practical planning aids (available as [Downloads](#)) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning



Corporate certifications

Standards for quality and sustainability

