MUNK
Sicherheit. Made in Germany.



Order no.: 110007

Wooden folding ladder
DIN EN 1147

Specification

Intended use Zugang	Ladder length 3 m	Setting angle 70 °	Clear width between rungs 265 mm	Outer width 90 mm
Ladder feet Stahlspitze	Depth of side-rails 60 mm	Width of side-rails 45 mm	Step/Rung height 34 mm	Step depth 20 mm
Number of steps/rungs 9 rungs	Step/Rung distance 300 mm	Max. load capacity 150 kg	Persons max. 1	Material Holz
Transport dimensions (plus packaging) 3267 x 90 x 60 mm, 9.5 kg	Business division MUNK Rettungstechnik	Order no. 110007		

Facts

- Wooden folding ladder
- Access ladder compliant with DIN EN 1147
- Collapsible design
- Side-rails made of finger-jointed pine or knot-free Oregon pine
- 9 rungs made of knot-free ash

We reserve the right to make technical changes and price changes.

- Wooden parts painted in colourless varnish
- End fixtures for insertion
- Corrosion-resistant fixtures made of galvanised steel
- Permissible load: 108 kg / 1 person

More product pictures







MUNK
Sicherheit. Made in Germany.

Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022