

Order no.: 114030

Case with lid



Size

1 2 3 4 5 6

Specification

Box size 1	Number of handles 4	Position of handles A,B,C,D	Cover Yes	Wall type closed
Inner width 365 mm	Inner height 192 mm	Inner length 565 mm	Lettering without	Foam inlay No
Dividers without division	incl. premium tools No	Weight 4.74 kg	Transport dimensions (plus packaging) 605 x 400 x 220 mm, 4.74 kg	Business division MUNK Rettungstechnik

Order no.
114030

Facts

- Stackable aluminium transport case with hinged lid
- Produced in accordance with DIN 14880
- High material strength and corrosion resistance
- Stackable thanks to all-round edge profile
- All-round seal in the edge profile to protect against dust and moisture
- Smooth side walls with spot-welded vertical seam
- Spring-loaded carry handles at different positions

- Permissible load: 105 kg

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Highest quality

- User-friendly and robust design
- Multiple riveted hinges
- High material strength and corrosion resistance



Versatile

- All-round seal in the edge profile to protect against dust and moisture
- Hinged covers or perforated side walls
- Different sizes



Safe stacking

- All-round stacking edge or impact-resistant plastic corners
- Compact transport design



Firmly closed

- With device for padlock or barrel lock
- Optional with lock set

Guide to handle arrangement

Our illustration depicts the handle arrangement of our cases and crates.



Size chart

- Size 1: 600 x 220 x 400
- Size 2: 400 x 220 x 300
- Size 3: 600 x 150 x 400
- Size 4: 400 x 150 x 300
- Size 5: 600 x 220 x 265
- Size 6: 800 x 330 x 400

Dimensions W x H x D in mm

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID: 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

