



Order no.: 115001

Scaling ladder lower section DIN EN 1147

Rung covering

Glow (yellow luminescent)

Standard (red)

Specification

| | | | | |
|------------------------|----------------------------------|---|--|---------------------------|
| Rescue height 1.6 m | Intended use Rescue | Ladder length 2.7 m | Ladder length, 4 scaling ladders 8.4 m | Setting angle 70 ° |
| Outer width 485 mm | Ladder feet Ladder shoe | Depth of side-rails 74 mm | Width of side-rails 35 mm | Step/Rung height 28 mm |
| Step depth 29 mm | Number of steps/rungs 9 rungs | Step/Rung distance 273 mm | Max. load capacity 216 kg | Persons max. 2 |
| Material Aluminium | Rung covering Standard (red) | Transport dimensions 84 x 489 x 2665 mm, 7.5 kg | Business division MUNK Rettungstechnik | Order no. 115001 |

Facts

- Rescue ladder compliant with DIN EN 1147
- Made of aluminium
- Secure push-fit connections with spring-loaded locking pin
- Conical side-rail guide for safe stance

- Corrosion-resistant fixtures made of galvanised steel
- Permissible load: 216 kg / 2 people
- Side-rails and rungs made of high-strength aluminium
- With heat-insulating, non-slip plastic coating
- 4-fold edged rung-to-side-rail connection
- Non-slip and replaceable ladder shoes

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022