MUNK
Sicherheit. Made in Germany.



Order no.: 115011

2-section rope-extension ladder with supports DIN EN 1147

Number of rungs

2x17

Specification

Rescue height 8.1 m	Intended use Rescue	Ladder length retracted 5.6 m	Ladder length extended 9.7 m	Setting angle 70 °
Clear width between rungs 270 mm	Clear width, upper ladder 350 mm	Clear width, lower ladder 425 mm	Outer width 490 mm	Ladder feet Steel point
Depth of side-rails 74 mm	Width of side-rails 35 mm	Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 2x 17 rungs
Max. load capacity 324 kg	Persons max. 3	Material Aluminium	Rung covering Standard (red)	Transport dimensions (plus packaging) 6158 x 600 x 180 mm, 56 kg
Business division MUNK Rettungstechnik	Order no. 115011			

Facts

- 2-section rope-extension ladder made of aluminium
- Rescue ladder compliant with DIN EN 1147

- With heat-insulating, non-slip and secure-grip plastic coating
- With rope pulley, locking hook and rope brake
- Supports made of aluminium tube with steel spikes and rubber coating
- 4-fold edged rung-to-side-rail connection
- Corrosion-resistant fixtures made of galvanised steel
- Lower ladder with steel spikes at the base
- Upper ladder with wall wheels
- Non-slip and replaceable ladder shoes
- Permissible load: 324 kg / 3 people

More product pictures







MUNK
Sicherheit. Made in Germany.

Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022