



Order no.: 115011

2-section rope-extension ladder with supports DIN EN 1147

Number of rungs

2x17

Specification

Rescue height 8.1 m	Intended use Rescue	Ladder length retracted 5.6 m	Ladder length extended 9.7 m	Setting angle 70 °
Clear width between rungs 270 mm	Clear width, upper ladder 350 mm	Clear width, lower ladder 345 mm	Outer width 500 mm	Ladder feet Steel point
Depth of side-rails 74 mm	Width of side-rails 35 mm	Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 2x 17 rungs
Max. load capacity 324 kg	Persons max. 3	Material Aluminium	Rung covering Standard (red)	Transport dimensions (plus packaging) 6158 x 600 x 180 mm, 54.5 kg
Business division MUNK Rettungstechnik	Order no. 115011			

Facts

- 2-section rope-extension ladder made of aluminium
- Rescue ladder compliant with DIN EN 1147

- With heat-insulating, non-slip and secure-grip plastic coating
- With rope pulley, locking hook and rope brake
- Supports made of aluminium tube with steel spikes and rubber coating
- 4-fold edged rung-to-side-rail connection
- Corrosion-resistant fixtures made of galvanised steel
- Lower ladder with steel spikes at the base
- Upper ladder with wall wheels
- Non-slip and replaceable ladder shoes
- Permissible load: 324 kg / 3 people

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

