

Order no.: 050069

## Spring-loaded castors with arrester



Suitable for

Work platforms accessible from one or both sides  
with 2 steps
**Work platforms accessible from one or both sides  
with 3-4 steps**

Work platform rigid

## Specification

Length 90 mm	Width 59 mm	Height 184 mm	Castor diameter 50 mm	Material Galvanised steel   Plastic
Transport dimensions (plus packaging) 345 x 215 x 75 mm, 2.72 kg	Product type Accessories	Business division MUNK Günzburger Steigtechnik	Order no. 050069	

## Facts

- For work platforms accessible from one or both sides Order no. 050050-050064
- Requires customer-assembly
- 1 set = 4 pcs.

### Scope of supply

- Spring-loaded castor with arrester: 4 x
- Assembly instructions: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Corporate certifications

---

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

