MUNK
Sicherheit. Made in Germany.



Order no.: 116110

Hook ladder type A ÖNORM F 4047 and EN 1147

Specification

Intended use Zugang	Ladder length 4.2 m	Clear width between rungs 250 mm	Outer width 350 mm	Ladder feet Leiterschuh
Depth of side-rails 50 mm	Width of side-rails 25 mm	Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 13 rungs
Max. load capacity 150 kg	Persons max. 1	Material Aluminium	Transport dimensions (plus packaging) 4220 x 350 x 592 mm, 13 kg	Business division MUNK Rettungstechnik
Order no. 116110				

Facts

- Hook ladder made of aluminium
- Access ladder compliant with ÖNORM F4047 and EN 1147
- With folding ladder support as wall spacer
- Hooks made of galvanised steel with window insertion bolts and ring eye for holding snap hook

- 4-fold edged rung-to-side-rail connection
- Non-slip and replaceable ladder shoes
- Permissible load: 108 kg / 1 person

More product pictures





MUNK
Sicherheit. Made in Germany.

Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022