

Order no.: 116118

Track carriage for rescue and working platform Premium



Specification

| | | | | |
|------------------------------|-----------------------|----------------|--------------------------------------------------------------------------|----------------------------------------------|
| Max. load capacity 500 kg | Material Aluminium | Weight 4 kg | Transport dimensions (plus packaging) 1530 x 150 x 150 mm, 4 kg | Business division MUNK Rettungstechnik |
| Order no. 116118 | | | | |

Facts

- Track carriage as expansion accessory
- Suitable for Premium rescue platform, part 116050
- Easy to install using locking bolts
- Can be used as a transport device for transporting materials or persons and injured persons
- Deutsche Bahn (DB) track width: 1,435 mm
- Four PU flanged wheels, Ø 125 mm
- Parking brake on each wheel
- Permissible load: 500 kg

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

